Ricoh Aficio MP C4000/C5000 Color Digital Imaging System

Superior Color. Incredible Versatility.





Outstanding color with exceptional versatility.

The fast and flexible RICOH® Aficio® MP C4000/C5000 completely redefine what you can expect from cost-effective, full-color multifunctional systems. Based on an award-winning design, both models provide outstanding color quality for all your business-critical documents, as well as crisp, detailed results for black & white output—so you can impress customers and hold their attention when you need it most. They also offer scanning, faxing and professional finishing, plus innovative tools for streamlining workflow and optional high-end color control. These dynamic, affordable systems make it easy for any organization to complete more color jobs in-house and significantly boost productivity.



ProductiveEasyPowerfulVibrant

Fast Output For Any Document

Rely on the Ricoh Aficio MP C4000/C5000 to deliver outstanding speed and productivity whether you need full-color or black & white documents, or a mix of both.

- Print and copy comps, presentations, spreadsheets and other jobs at speeds up to 40 or 50 pages-per-minute in both full-color and black & white.
- Start every job faster. First color copy times are 6.5 or 5.9 seconds, and 3.9 or 3.5 seconds for black & white. You can also expect short warm-up and recovery times from Off/Sleep mode.
- Handle large color files and complex print jobs quickly and easily. Both systems come standard with a 1 GHz controller, 1 GB RAM and a 160 GB Hard Disk Drive.
- Get connected in any environment. Meet local networking requirements with a wide range of standard and optional interfaces, plus compatibility with Windows, Macintosh, Unix and AS/400.



The large, full-color W-VGA control panel makes it easy to program jobs in seconds. It also offers a Simplified Display option and animated user guidance for common tasks.

Consistently Impressive Color

The Ricoh Aficio MP C4000/C5000 use a powerful combination of patented PxP™ Toner and sophisticated print engines to provide bold, vivid color for any application.

- Use color to enhance your image. Replacing conventional black & white with compelling color lends a distinctively professional look and feel to your documents. It makes key messages more memorable and helps your company stand out.
- Expect vibrant results for important documents—such as client proposals, new business plans or competitive bids—with resolutions up to 1200 x 1200 dpi.
- Reduce expensive outsourcing. These systems allow users to produce a wide range of professional color documents very cost effectively, in-house.
- Eliminate the risk of fraud and abuse. Control access to color capabilities and tightly manage costs with a wide array of security features.



Take your files with you instantly by scanning them directly to removable media, such as a SD card or USB flash drive.

Convenient Professional Finishing

Expand the range of documents you can produce. The Ricoh Aficio MP C4000/C5000 offer a full line of paper handling and finishing options.

- Fuel your creativity. Print on many stocks and sizes, and generate a range of finished styles from three-hole-punched training packets with covers to postcards, spreadsheets, presentations, and more. The systems support output sizes up to 12" x 18" (through the Bypass Tray) and accept paper weights up to 140 lb. Index.
- Finish a wider variety of jobs without outsourcing. Choose from an optional 1,000-Sheet Finisher with stapling, a 2,000-Sheet Booklet Finisher with saddle-stitching and optional hole-punching, or a 3,000-Sheet Finisher with stapling and optional hole-punching.
- Print or copy lengthy documents without stopping to reload paper. The systems offer a standard paper capacity of 1,200 sheets.
- Increase paper capacity to meet the needs of high-volume workflows. Options include a Two-Tray Paper Bank, a 2,000-Sheet Tandem Large Capacity Tray (LCT) or a 1,200-Sheet Side LCT. Maximum paper capacity (with both LCTs) is 4,400 sheets.



Handle more jobs in-house—and reduce expensive outsourcing—with fast, high-quality color and a full line of finishing options.

Do More Than Ever Before

To maximize efficiency, the Ricoh Aficio MP C4000/C5000 can be equipped with advanced, yet easy-to-use scanning, faxing and document distribution technologies.

- Deliver documents to any destination instantly. Available *Scan-to* functions include Scan-to-Email for rapid delivery, Scan-to-Folder for automated archiving and information sharing, Scan-to-Media (USB/SD) for document portability and Scan-to-URL to reduce network traffic.
- Minimize file size, reduce network traffic and maintain exceptional image quality by converting scanned files into High Compression PDFs.
- Send or receive fax documents electronically with Internet (T.37) faxing, use LAN faxing to send faxes from a PC without leaving your desk, or use IP (T.38) and Super G3 faxing for quick delivery to conventional fax numbers.
- Reduce the risk of fax errors. Both systems detect blank pages and enable users to double-check fax destinations prior to transmission.
- Print a PDF or JPEG attachment by sending an e-mail directly to the system using the innovative Mail-to-Print feature, which saves time and gives you even more flexibility for printing your documents.



Designed for convenient accessibility for everyone in the workplace, these systems incorporate user-friendly features that make them easier to operate and align with Section 508 requirements.

- Improve ease of use with the large, full-color W-VGA control panel. You can also use the Simplified Display feature, which shows fewer function keys and uses a larger screen font.
- Get animated, step-by-step instructions for routine tasks, such as clearing paper misfeeds or replacing toner.
- Accommodate all users with a convenient design. Toner cartridges can be replaced with one hand. Paper trays can be easily opened with an overhand or underhand grip. Also, the scanner and document feeder can be detached and placed on a desk, making every function accessible to all users.
- Handle a long list of document and device management tasks remotely.
 View detailed system information and network settings, and monitor supply status right from a standard Web browser.

Strong Investment Protection

Organizations of any size can benefit from the Ricoh Aficio MP C4000/C5000s' superior productivity, reliable performance and low total cost of ownership (TCO).

- Maximize uptime and reliability. Both systems are engineered to keep pace with even the most demanding workloads, so you can keep TCO as low as possible.
- Take advantage of full-color workflows without compromising your budget. These systems make it more affordable than ever to get color exactly when you need it.



The Simplified Display shows only a select group of the most commonly used features, which makes it even easier for users to set up jobs.



All of these organizations and many more are among a long list of Ricoh solution partners.



The detachable scanner option makes these systems' functions completely accessible to all users.

AccessibleSecureDependableVersatile

Precise Color Control

Add the optional EFI Fiery™ Controller to achieve high-end color control and management for professional workflows.

- Take full advantage of the print engines' outstanding color capabilities for graphics-intensive applications and accurate spot color matching.
- Fine-tune color output for application-specific needs. With the EFI Fiery™ Controller's built-in tools, you can achieve superior results for RGB, CMYK and even PANTONE® colors.
- Print complex color documents such as page layouts, concept drawings or proof sheets quickly, consistently and accurately with the additional firepower of a Fiery[™] Controller.
- Control workflow, reprint jobs and even combine documents with the powerful Command WorkStation™ tool.

Ironclad Security

A complete line of security features helps keep sensitive documents and the systems themselves safe from a variety of threats.

- Use encrypted PDF transmission to prevent unauthorized data interception. This feature encrypts PDF data for both Scan-to-Email and Scan-to-Folder applications.
- Control which individuals have access to which system functions, such as scanning or color copying, with robust User Authentication.
- Protect business-critical information with the DataOverwriteSecurity System (DOSS) option. It automatically overwrites the hard drive after copy, scan, fax and print jobs, so hackers can't steal confidential files. You can also use the HDD Encryption option to protect data, even if the hard drive is removed or stolen.

Advanced Document Solutions

With the Ricoh Aficio MP C4000/C5000, offices can utilize an extensive portfolio of powerful, easy-to-integrate software solutions from Ricoh and a growing number of innovative technology partners.

- Transform your MFP into a document portal with proven solutions from Ricoh. Specifically developed for Ricoh MFPs, these advanced solutions enable document capture and distribution, storage and management, variable data printing, assessment and cost recovery, device management and print security.
- Leverage the smartest, most effective workflow tools and streamline every aspect of your organization with Ricoh. We partner with industry-leading technology innovators to make sure our MFPs can serve as on-ramps to an extensive selection of applications for content management and other business-critical activities.
- Create specialized, custom applications for the Ricoh Aficio MP C4000/C5000 with Ricoh's Embedded Software Architecture™, a Java-compatible Software Development Kit (SDK).



Your Environmental Partner





Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity, including:

- Power-Saving Sleep Mode
- Duplex and Combine Copy Modes
- Energy-Saving PxP™ Toner
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances (RoHS) Compliant

Color Capabilities for Any Workflow





Optional Hardware Accessories

Two-Tray Paper Bank (PB3040)1

Paper Capacity 1,100 sheets (550 x 2 Trays) Paper Sizes 5.83" x 8.27" - 11" x 17

16 – 68 lb. Bond / 140 lb. Index (60 – 256 g/m²) Paper Weights

Dimensions (WxDxH) 22.8" x 24.4" x 10.2" Less than 57 lbs. Weight Tandem Large Capacity Tray (LCT) (PB3050)1

Paper Capacity Paper Sizes 2,000 sheets Tandem Tray (1,000 x 2 Trays) 8.5" x 11" LEF

16 - 68 lb. Bond / 140 lb. Index (60 - 256 g/m²) Paper Weights Dimensions (WxDxH) 22.8" x 24.4" x 10.2"

Weight Less than 57 lbs. Cabinet Stand (FAC33)1

Side Large Capacity Tray (LCT) (RT3000) Paper Capacity 1,200 sheets Paper Sizes 8.5" x 11" LEF

Paper Weights 16 – 57 lb. Bond / 80 lb. Cover (60 – 216 g/m²) Dimensions (WxDxH) 13.7" x 21.3" x 11.4"

Less than 31 lbs. Weight

Requires Two-Tray Paper Bank (PB3040) or Tandem LCT (PB3050).

2,000-Sheet Booklet Finisher (SR3020)²

Stack Capacity

Paper Sizes 5.5" x 8.5" - 11" x 17", 12" x 18" Paper Weights

5.3 X 6.3 - 11 X 17 , 12 X 10 Proof Tray: 14 - 43 lb. Bond / 90 lb. Index (52 - 163 g/m²); Shift Tray: 14 - 68 lb. Bond / 140 lb. Index (52 - 256 g/m²) Proof Tray: 250 sheets (8.5" x 11" or smaller),

50 sheets (8.5" x 14" or larger); Shift Tray: 2,000 sheets (8.5" x 11" LEF), 1,000 sheets (8.5" x 11' SEF, 8.5" x 14", 11" x 17", 12" x 18"); Booklet Tray: 30 sets (2 – 5 sheets/set, all sizes, saddlestitched); 15 sets (6 - 10 sheets/set, all sizes, saddle-stitched); 10 sets (11 - 15 sheets/set,

all sizes, saddle-stitched)

Staple Capacity 50 sheets (8.5" x 11"), 30 sheets

(8.5" x 14" or larger) Saddle Stitch 15 sheets (up to 60 pages) Staple Paper Sizes 8.5" x 11" to 11" x 17" 17 – 24 lb. Bond (64 – 90 g/m²) Staple Paper Weights Staple Positions 1 staple/3 positions; 2 staples/2 positions;

25.8" x 24.2" x 37.8" Dimensions (WxDxH)

Weight

Approx. 138.9 lbs. without Punch Unit Option; Approx. 143.3 lbs. with Punch Unit Option

2/3-Hole Punch Unit Ontion available for Booklet Finisher (SR3020)

3,000-Sheet Finisher (SR3030)²

55" x 85" - 11" x 17" 12" x 18' Paper Sizes Paper Weights Proof Tray: 14 – 43 lb. Bond / 90 lb. Index (52 –163 g/m²); Shift Tray: 14 – 68 lb. Bond /140 lb. Index (52 – 256 g/m²) Proof Tray: 250 sheets (8.5" x 11" or smaller), Stack Capacity

50 sheets (8.5" x 14" or larger); Shift Tray: 3,000 sheets (8.5" x 11" LEF), 1,500 sheets (8.5" x 11"

SEF, 8.5" x 14", 11" x 17", 12" x 18"), 100 sheets (5.5" x 8.5") 50 sheets (8.5" x 11" LEF), 30 sheets

Staple Capacity

(8.5" x 14" or larger) 8.5" x 11" – 11" x 17 Staple Paper Sizes Staple Paper Weights 17 - 24 lb. Bond (64 - 90 g/m²) 1 staple/3 positions; 2 staples/1 position; Staple Positions

Dimensions (WxDxH) 25.8" x 24.2" x 37.8"

Weiaht Approx. 119 lbs. without Punch Unit Option; Approx. 123.5 lbs. with Punch Unit Option

2/3-Hole Punch Unit Option available for Finisher (SR3030).

1,000-Sheet Finisher (SR790)²

5.5" x 8.5" – 11" x 17", 12" x 18" in Proof Tray Proof Tray: 14 – 68 lb. Bond / 140 lb. Index Paper Sizes Paper Weights

(52 – 260 g/m²); Shift Tray: 14 – 43 lb. Bond / 90

lb. Index (52 -163 g/m²) Stack Capacity

Proof Tray: 250 sheets (8.5" x 11" or smaller), 50 sheets (8.5" x 14" or larger); Shift Tray: 1,000 sheets (8.5" x 11"), 500 sheets (8.5" x 14" or larger), 100 sheets (5.5" x 8.5")

Staple Capacity 50 sheets (8.5" x 11"), 30 sheets (8.5" x 14" or larger) Staple Paper Sizes 8.5" x 11" - 11" x 17

Staple Paper Weights 17 – 28 lb. Bond (64 – 90 g/m²) Staple Positions 1 staple/2 positions; 2 staples/1 position Dimensions (WxDxH) 10.7" x 20.5" x 31.2"

55.2 lbs. Weight

Internal Shift-Sort Tray (SH3040) Paper Sizes

5.5" x 8.5" – 12" x 18" 14 – 68 lb. Bond / 140 lb. Index (52 – 256 g/m²) Paper Weights

Paper Capacity

250 sheets (8.5" x 11" or smaller) 125 sheets (8.5" x 14" or larger)

Weight Approx. 4.4 lbs

Internal Shift-Sort Tray cannot be installed with a finisher.

Inner One-Bin Tray (BN3070) 5.5" x 8.5" - 11" x 17" Paper Sizes

Bin Capacity 125 sheets

Paper Weights 16 - 50 lb. Bond / 90 lb. Index (60 - 169 g/m²) Weight

Approx. 5.5 lbs.

Please note either the Cabinet Stand or one of the paper options must be installed ²All finishers require Bridge Unit.

System Specifications

Print Drivers

General Specifications

Printing Process Dry Electrostatic Transfer System

with Dual Component Magnetic Brush Development; 4-Drum Method MP C4000: 40-ppm Full-Color/BW

Output Speed MP C5000: 50-ppm Full-Color/BW MP C4000: 34 seconds MP C5000: 51 seconds Warm-Up Time

MP C4000: Full-Color: 6.5 sec. / BW: 3.9 sec.

MP C5000: Full-Color: 5.9 sec. / BW: 3.5 sec.

600 dpi Copy Resolution

First Copy Time

Paper Sizes

Automatic Reversing Document Feeder **Document Feeder** (ARDF)/Standard

Original capacity: 100 sheets Paper size: 5.5" x 8.5" – 11" x 17" Paper weight (simplex): 10 - 34 lb. Bond (40 – 128 g/m²) Paper weight (duplex): 14 - 34 lb. Bond

(52 - 128 g/m²) Dimensions: 22.5" x 20.5" x 5.4" Up to 11" x 17"

Exposure Glass Up to 999 copies **Multiple Copies**

Copy Size

Standard: 2 x 550 sheets + 100-Sheet Bypass Tray; Maximum: 4,400 sheets (w/Tandem_LCT and Side LCT) Input Capacity **Output Capacity**

Standard: 500 sheets Face Down Maximum: 3,625 sheets (with 3,000-Sheet Finisher + Inner 1-Bin Tray) First Paper Tray: 8.5" x 11" LEF

Second Paper Tray/Paper Bank: 7.25" 10.5" – 11" x 17"; Bypass Tray: Width: 3.5" – 12", Length: 5.8" – 23.6"; Tandem Large Capacity Tray: 8.5" x 11"

LEF; Side Large Capacity Tray:

Standard Trays/Bypass Tray/Two-Tray Paper Bank/Tandem LCT: 16 – 68 lb. Paper Weights

Bond / 140 lb. Index (60 - 256 g/m²); Side LCT: 16 - 57 lb. Bond / 80 lb. Cover (60 - 216 g/m²); Duplex Unit: 16 – 45 lb. Bond / 90 lb. Index (60 – 169 g/m²)

Paper Types Plain/recycled paper, laser printer

qualified transparencies, labels,

envelopes

Auto Duplex Standard 25% – 400% in 1% increments Zoom 93%, 85%, 78%, 73%, 65%, 50%, 25% Preset Reduction Preset Enlargement

400%, 200%, 155%, 129%, 121% 26.4" x 26.7" x 30" (standard Dimensions (WxDxH) configuration)

Less than 287 lbs. (130 kg) (w/ARDF)

Power Requirements 120V, 12A, 60Hz

Power Consumption 1,500 Watts max.

Printer Controller Specifications (Standard)

Intel Celeron-M 1.0 GHz CPU Memory 1 GB RAM and 160 GB HDD standard (shared)

MP C4000: 40-ppm Full-Color/BW Max. Print Speed MP C5000: 50-ppm Full-Color/BW

Standard: RPCS, PCL 5c, PCL 6, XPS via download; Optional: Genuine Adobe® Postscript® 3™ (includes PDF Direct Print), PS Driver for Mobile Printing

Max. Print Resolution 1200 x 1200 dpi

Standard Interfaces Ethernet (10Base-T/100Base-TX),

USB 2.0, USB Host I/F Optional Interfaces Gigabit Ethernet (1000Base-T), IEEE

1284/ECP Parallel, IEEE 802.11a/b/g Wireless LAN, Bluetooth, USB 2.0/SD

Network/OS Windows 2000/XP/Server 2003/Server 2008*/Vista; Netware 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6, 6.5; UNIX; Sun

Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX; Mac OS 8.6 – 9.2x, OS X 10.1 or later; SAP R/3, NDPS Gateway; IBM iSeries; AS/400-using OS/400 Host Print Transform

Advanced Features WS Printer Support, Advanced Print

Queues (Sample Print, Locked Print, Hold Print, Stored Print), Black Overprint, CLP Simulation, Pantone Color Palette, Chaptering, Classification Codes, Mail-to-Print (requires Fax and PS3 options), PDF Direct Print (requires PS3 option), PictBridge® Support (requires Camera Direct Print Card option) Bonjour/DDNS Support

SmartDeviceMonitor for Admin and Client; Web SmartDeviceMonitor; Web Image Monitor; Print Utility for MAC (w/Adobe PS3 option)

*Server 2008 is not included on the driver CD that ships with the system It is available via download from the Ricoh Web site.

Security Specifications

Utilities

DataOverwriteSecurity System (DOSS) (Optional): Security feature that overwrites latent data on the system's hard drive after copy, print, scan and fax jobs

Copy Data Security Unit (Optional): Copies of prints made with this feature will be blacked out or embedded with a watermark to deter illegal copying

HDD Encryption Unit (Optional): Encrypts data on HDD, so

data is secure even if HDD is stolen

Other Security Features: Network Protocol On/Off, IP Filtering,

SNMP v3 Support, Encryption (Address Book, Password, PDF, SSL Communication, S/MIME, IPsec Communication), Locked (Secure) Print, User Authentication (Windows/LDAP with Kerberos Authentication (External), Basic and User Codes (Internal), 802.1.x Wired Authentication, WPA/WPA2 (Wi-Fi Protect Access Support), and more

Scanner Specifications (Standard)

600/400/300/200/100 dpi (1,200 dpi for TWAIN only) 63-ipm BW and 60-ipm Full-Color Scanner Resolution

Scanning Speed (8.5" x 11" LEF/200 dpi)

Glass: 11" x 17", 8.5" x 14", 8.5" x 11"; ARDF: 5.5" x 8.5" – 11" x 17" BW Text/Line Art, BW Text, BW Auto Scan Size Detection

Scan Mode Text/Photo, BW Photo, BW Grayscale, Full-Color Photo, Full-Color Text, Auto

Color Select (ACS)

Compression Method BW: TIFF (MH, MR, MMR); Grayscale / Full-Color: JPEG

Scan-to Modes Scan-to-Email (with LDAP support); Scanto-URL; Scan-to-Folder (SMB/FTP/NCP); Supported

Network TWAIN scanning; WS Scanner (for Vista); Scan-to-Media (USB/SD)

(optional)

Document Server Specifications (Standard)

Max. Stored 3,000 documents **Documents** Max. Pages per 2,000 pages Document Max. Total Pages of 9,000 pages

Stored Documents

Facsimile Specifications (Optional)*

Fax Option Type C5000 (standard on SPF model)
Type ITU-T (CCITT) G3, additional G3

(optional)

Circuit Resolution 200 x 100 dpi, 200 x 200 dpi, 400 x

400 dpi (with optional fax SAF

 $\begin{array}{c} \text{memory)} \\ \textbf{Modem Speed} & 33.6\text{K} - 2,400 \text{ bps w/Auto Fallback} \\ \textbf{Compression Method} & \text{MH, MR, MMR, JBIG} \end{array}$

Transmission Speed G3: Approximately 2 seconds/page

(w/JBIG); G3: Approximately 3 seconds/page (w/MMR)

0.35 seconds/page LEF (Standard/Detail

Mode); 0.64 seconds/page LEF (Super

Fine Mode)

2,000 Quick Dials, 100 Group Dials Auto Dialing (500 numbers per group)

Memory Capacity Standard 4 MB (approximately 320

pages); Maximum 28 MB (2,240 pages) (SAF)

Additional Modes Internet Fax by E-mail (T.37); IP Fax

(T.38); LAN Fax; Fax Forward to E-mail/Folder; LDAP Support

Options Additional G3 Lines (up to 2); Fax SAF

Memory; Telephone Handset *Faxing is standard on the MP C4000 SPF/C5000 SPF models.

Additional Accessories

File Format Converter, Key Counter Bracket, JAVA VM Card for Embedded Software Architecture™ Applications, Optional Counter Interface, USB 2.0/SD Slot (for Scan-to-Media), Camera Direct Print Card, Fiery™ Print Controller

Supplies and Consumables*

Black Toner 23,000 pages 17,000 pages each Cvan, Magenta,

Yellow Toners

Scan Speed

*Toner yields based on 5% coverage



























